# PROCHEM Your Source for Local Supply and Support









GO Regulator® provides a comprehensive range of high purity, industrial and analyser products which include pressure reducing regulators – single stage, two stage, back pressure, vaporising as well as a range of relief valves, filters and automatic changeover systems to complement their range of control components.

A versatile range of pressure reducing regulators designed to fulfil a wide range of needs in instrumentation, sample systems and other applications such as semiconductor processing gases.

Selection features include:

- Gas or liquid service
- Various seat materials
- Various orifice sizes
- Operating temperatures of -40 to 538°C
- Material selection Stainless Steel 316L, Brass, Monel<sup>®</sup>, Hastelloy<sup>®</sup> or Titanium
- Pressures to 68.9 MPa (10,000 psi)

### Single Stage





Similar in design to pressure reducing regulators, which regulate outlet pressures, back pressure regulators control the inlet pressures. Standard features allow service in many varied applications including corrosive fluids and with the optional features available, the user can tailor these units to suit virtually any application.


- Subatmospheric or positive back pressure control
- Stainless steel or brass
- Optional wetted materials of construction Monel®, Hastelloy® or Titanium
- Liquid or gas service
- Bubble tight shutoff





Single and dual stage precision pressure reducing regulators for all cylinder gas, instrumentation industry applications where precision pressure supply is required

- Stainless steel, brass and exotic alloys
- AS, CGA, BS and DIN cylinder connection accessories
- Various porting configurations
- Pressure gauges 2" dual scale
- Maximum inlet pressure 41.4 MPa (6000 psi)
- Low internal volumes



Monel and Hastelloy are registered trademarks.

## Heated / Vaporising





Designed to heat and/or vaporise a gas or liquid sample before entering the analyser system. A steam or electrically heated inlet heat exchanger is utilised to vaporise the sample stream to ensure the flow media stays a gas.

- Steam or electrically heated
- IECEx, ATEX, CSA and Cenelec approved
- 316L stainless steel or Monel®
- · Low internal volume



A selection of automatic changeover systems are available to deliver a continuous supply of gas from dual sources.

- Available in stainless steel and brass (other materials on request)
- 0.01% pressure control accuracy
- Allows changing of cylinders during operation
- Complete panel system option including gauges and vent valves for easy installation








The DV Series Diaphragm Valves are totally free of springs, bellows, packing, o-rings and lubricants in the process wetted area. Metal to metal seals to atmosphere ensure that there is no absorption of undesirable elements into the flow stream. Elgiloy® diaphragms ensure the utmost in corrosion resistance and life span.






48 © PROCHEM PIPELINE PRODUCTS – APR 2021









#### a <u>bou</u> compand

#### FOR FURTHER DETAILS PLEASE CONTACT YOUR LOCAL PROCHEM OFFICE

#### **ADELAIDE**

3A CB Fisher Drive, CAVAN South Australia Australia 5094

Telephone 61-8-8241 7633 Facsimile 61-8-8241 7644 Email sales@prochem.com.au

#### **BRISBANE**

1-5 Kingsbury Street Brendale, Queensland Australia 4500

Telephone 61-7-3265 2711 Facsimile 61-7-3265 7430 Email sales@prochem.com.au

#### **HOBART**

96-98 Central Avenue Derwent Park, Tasmania Australia 7009

Telephone 61-3-6272 8828 Facsimile 61-3-6272 8688

Email sales@prochem.com.au

#### **MELBOURNE**

5-15 Ventura Place Dandenong South, Victoria Australia 3175

Telephone 61-3-9799 2244 Facsimile 61-3-9799 2255

Email sales@prochem.com.au

#### **PERTH**

6 Forge Street Welshpool, Western Australia Australia 6106

Telephone 61-8-9458 7777 Facsimile 61-8-9351 8170

Email sales@prochem.com.au

#### **SYDNEY**

30 Enterprise Circuit Prestons, New South Wales Australia 2170

Telephone 61-2-9727 0044 Facsimile 61-2-9728 6766 Email sales@prochem.com.au

#### **NEW ZEALAND**

560 Arthur Porter Drive Te Rapa Gateway Hamilton, Waikato, 3200

Telephone 64-7-444 5458

Email nzlsales@prochemgroup.co.nz